

**From:** Eric Graybill/ESC/R3/USEPA/US  
**Sent:** 5/18/2012 1:06:47 PM  
**To:** Cynthia Caporale/ESC/R3/USEPA/US@EPA  
**CC:**  
**Subject:** Fw: FYI Analytical Request for Dimock Residential Well Site R33993/CT6033

I expect that like last time these samples will come in weird pieces, one sample in this shipment, two samples in the next shipment etc., as they apologize for being unable to ship all as their day was done.

Ideally it would be best to just do one batch, it makes trying to explain why we qualified these 3 samples for 3,3'-dichlorobenzidine but not the other 6 samples for with one batch all nine are qualified or not.

IF Monday wasn't a holiday than I wouldn't expect a problem BUT Monday is a holiday, why do these samplers do this every time, congrats samplers you have another 4 day weekend, while the lab gets stiffed.

Can I setup on Saturday (Less than 4 hours more like 2 hours) and breakdown on Sunday (Like 2 hours)?

Eric Graybill  
EPA Region III  
Ft. Meade MD  
410-305-2665

It's a cardinal rule to be generous in a democracy...The Good Shepherd (movie 2006)  
----- Forwarded by Eric Graybill/ESC/R3/USEPA/US on 05/18/2012 12:58 PM -----

**From:** Sue Warner/ESC/R3/USEPA/US  
**To:** R3 ESC-LB  
**Date:** 05/18/2012 12:28 PM  
**Subject:** Fw: FYI Analytical Request for Dimock Residential Well Site R33993/CT6033

Here is the latest information on the Dimock sampling next week. Samples will be shipped Tuesday through Thursday and will be arriving at the lab Wednesday through Friday. The SAP, RLs and the ARF are attached below. Note the 5 day turnaround for the following parameters:

☐ Expedited preliminary data turnaround time (5 days) will be provided on the following list of compounds/tests:

coliform bacteria	aluminum
bis(2-ethylhexyl) phthalate (DEHP)	arsenic
ethylene glycol	lithium
2-methoxyethanol (Ethylene glycol monomethyl ether)	manganese
methane	sodium
2,2'-oxybisethanol (diethylene glycol)	iron
triethylene glycol	

----- Forwarded by Sue Warner/ESC/R3/USEPA/US on 05/18/2012 11:39 AM -----

Carroll Harris  
NAHE, SEE  
RSCC Coordinator, OASQA  
U.S. Environmental Protection Agency

Environmental Science Center  
701 Mapes Road  
Ft. Meade, MD 20755-5350  
(410)305-2625  
Fax(410)305-3093

----- Forwarded by Carroll Harris/ESC/R3/USEPA/US on 05/18/2012 10:38 AM -----

From: "Nance, Gene" <Gnance@TechLawInc.com>  
To: Dan Slizys/ESC/R3/USEPA/US, John Kwedar/ESC/R3/USEPA/US@EPA, Carroll Harris/ESC/R3/USEPA/US@EPA  
Cc: R3 Clients@EPA, Cynthia Caporale/ESC/R3/USEPA/US@EPA, Fred Foreman/ESC/R3/USEPA/US@EPA, Stevie Wilding/ESC/R3/USEPA/US, Kevin Martin/ESC/R3/USEPA/US@EPA, Richard Fetzer/R3/USEPA/US@EPA, Richard Rupert/R3/USEPA/US, Kelley Chase/R3/USEPA/US@EPA, "Graves, Suddha" <Sgraves@TechLawInc.com>  
Date: 05/18/2012 08:27 AM  
Subject: Analytical Request for Dimock Residential Well Site

Dan, John, *et al*:

Attached are analytical requests for the Supplemental Round 1 sampling to be conducted at Dimock next week, along with target compound/QL lists and the approved sampling plan. Separate request forms were prepared based on which EPA Lab did the analyses on the previous sampling event. A separate request will be submitted for 'Round 2' sampling.

Gene Nance  
TechLaw, Inc.

740.867.0968 (office)  
304.830.1442 (mobile)

[attachment "Dimock\_SAP\_Round1 Supplemental\_Final2.pdf" deleted by Eric Graybill/ESC/R3/USEPA/US] [attachment "Dimock\_AR\_NAREL\_May 2012.doc" deleted by Eric Graybill/ESC/R3/USEPA/US] [attachment "Dimock\_AR\_R3\_May 2012.doc" deleted by Eric Graybill/ESC/R3/USEPA/US] [attachment "Dimock\_AR\_R6\_May 2012.doc" deleted by Eric Graybill/ESC/R3/USEPA/US] [attachment "Dimock RLS\_March 2012.XLS" deleted by Eric Graybill/ESC/R3/USEPA/US]